RAW SEQUENCE LISTING
# ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number: ___09/697,123___

Source: ___OIPE___

Date Processed by STIC: ___11-16-00___

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:
1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY
FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216.
PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax)
PATENTIN 3.0 e-mail help: patin30help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.0 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW:

Checker Version 3.0

The Checker Version 3.0 application is a state-of the-art Windows based software program employing a logical and intuitive user-interface to check whether a sequence listing is in compliance with format and content rules. Checker Version 3.0 works for sequence listings generated for the original version of 37 CFR §§1.821 – 1.825 effective October 1, 1990 (old rules) and the revised version (new rules) effective July 1, 1998 as well as World Intellectual Property Organization (WIPO) Standard ST.25.

Checker Version 3.0 replaces the previous DOS-based version of Checker, and is Y2K-compliant. Checker allows public users to check sequence listings in Computer Readable form (CRF) before submitting them to the United States Patent and Trademark Office (USPTO).

Use of Checker prior to filing the sequence listing is expected to result in fewer errored sequence listings, thus saving time and money.

Checker Version 3.0 can be down loaded from the USPTO website at the following address:
http://www.uspto.gov/web/offices/pac/checker

ERROR DETECTED   SUGGESTED CORRECTION   SERIAL NUMBER: _09/697,123_

ATTN: NEW RULES CASES: PLEASE DISREGARD ENGLISH "ALPHA" HEADERS, WHICH WERE INSERTED BY PTO SOFTWARE

1 _____ Wrapped Nucleics
The number/text at the end of each line "wrapped" down to the next line.
This may occur if your file was retrieved in a word processor after creating it.
Please adjust your right margin to .3, as this will prevent "wrapping".

2 _____ Wrapped Aminos
The amino acid number/text at the end of each line "wrapped" down to the next line.
This may occur if your file was retrieved in a word processor after creating it.
Please adjust your right margin to .3, as this will prevent "wrapping".

3 _____ Incorrect Line Length
The rules require that a line not exceed 72 characters in length. This includes spaces.

4 _____ Misaligned Amino Acid Numbering
The numbering under each 5th amino acid is misaligned. This may be caused by the use of tabs
between the numbering. It is recommended to delete any tabs and use spacing between the numbers.

5 _____ Non-ASCII
This file was not saved in ASCII (DOS) text, as required by the Sequence Rules.
Please ensure your subsequent submission is saved in ASCII text so that it can be processed.

6 _____ Variable Length
Sequence(s) _____ contain n's or Xaa's which represented more than one residue.
As per the rules, each n or Xaa can only represent a single residue.
Please present the maximum number of each residue having variable length and
indicate in the (ix) feature section that some may be missing.

7 _____ PatentIn ver. 2.0 "bug"
A "bug" in PatentIn version 2.0 has caused the <220>-<223> section to be missing from amino acid
sequence(s) _____. Normally, PatentIn would automatically generate this section from the
previously coded nucleic acid sequence. Please manually copy the relevant <220>-<223> section
to the subsequent amino acid sequence. This applies primarily to the mandatory <220>-<223>
sections for Artificial or Unknown sequences.

8 _____ Skipped Sequences (OLD RULES)
Sequence(s) _____ missing. If intentional, please use the following format for each skipped sequence:
(2) INFORMATION FOR SEQ ID NO:X:
(i) SEQUENCE CHARACTERISTICS:(Do not insert any headings under "SEQUENCE CHARACTERISTICS")
(xi) SEQUENCE DESCRIPTION:SEQ ID NO:X:
This sequence is intentionally skipped

Please also adjust the "(iii) NUMBER OF SEQUENCES:" response to include the skipped sequence(s).

9 _____ Skipped Sequences (NEW RULES)
Sequence(s) _____ missing. If intentional, please use the following format for each skipped sequence.
<210> sequence id number
<400> sequence id number
000

10 _____ Use of n's or Xaa's (NEW RULES)
Use of n's and/or Xaa's have been detected in the Sequence Listing.
Use of <220> to <223> is MANDATORY if n's or Xaa's are present.
In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.

11 _____ Use of <213>Organism (NEW RULES)
Sequence(s) _____ are missing this mandatory field or its response.

_25 +2C_

12 ✓ Use of <220>Feature (NEW RULES)
Sequence(s) _✓_ are missing the <220>Feature and associated headings.
Use of <220> to <223> is MANDATORY if <213>ORGANISM is "Artificial" or "Unknown"
Please explain source of genetic material in <220> to <223> section.
(See "Federal Register," 6/01/98, Vol. 63, No. 104, pp. 29631-32)   (Sec. 1.823 of new Rules)

13 _____ PatentIn ver. 2.0 "bug"
Please do not use "Copy to Disk" function of PatentIn version 2.0. This causes a corrupted
file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing).
Instead, please use "File Manager" or any other means to copy file to floppy disk.

AKS-Biotechnology Systems Branch- 5/15/99

OIPE

RAW SEQUENCE LISTING   DATE: 11/16/2000
PATENT APPLICATION: US/09/697,123   TIME: 19:52:43

       Input Set : A:\ES.txt
       Output Set: N:\CRF3\11162000\I697123.raw

     1 <110> APPLICANT: ERUHE BIOTECH CO., LTD.<120>
     2   rpoB gene fragments and a method for the diagnosis and identification of
W--> 3 <130> FILE REFERENCE: PUS-001027<150> KR1999-
W--> 0 <130> TITLE INVENTION:
C--> 4 <140> CURRENT APPLICATION NUMBER: US/09/697,123
C--> 4 <141> CURRENT FILING DATE: 2000-10-27
W--> 4 <151> PRIOR FILING DATE: 1999-10-27<160> 26 <170> PatentIn version 3.0<210> 1<211>
     5 <212> TYPE: DNA<213> Mycobacterium gordonae I<400> 1
    15 <210> SEQ ID NO: 2<211> 208<212> DNA<213> Mycobacterium gordonae II<400> 2
    25 <210> SEQ ID NO: 3<211> 208<212> DNA<213> Mycobacterium gordonae III<400> 3
    35 <210> SEQ ID NO: 4<211> 207<212> DNA<213> Mycobacterium gordonae IV<400> 4
    45 <210> SEQ ID NO: 5<211> 208<212> DNA<213> Mycobacterium tuberculosis<400> 5
    55 <210> SEQ ID NO: 6<211> 208<212> DNA<213> Mycobacterium terrae<400> 6
    65 <210> SEQ ID NO: 7<211> 214<212> DNA<213> Mycobacterium chelonae<400> 7
    75 <210> SEQ ID NO: 8<211> 208<212> DNA<213> Mycobacterium kansasii<400> 8
    85 <210> SEQ ID NO: 9<211> 223<212> DNA<213> Mycobacterium scrofulaccum<400> 9
    95 <210> SEQ ID NO: 10<211> 208<212> DNA<213> Mycobacterium ulcerans<400> 10
   105 <210> SEQ ID NO: 11<211> 208<212> DNA<213> Mycobacterium marinum<400> 11
   115 <210> SEQ ID NO: 12<211> 207<212> DNA<213> Mycobacterium szulgai<400> 12
   125 <210> SEQ ID NO: 13<211> 223<212> DNA<213> Mycobacterium gastri<400> 13
   135 <210> SEQ ID NO: 14<211> 214<212> DNA<213> Mycobacterium malmoense<400> 14
   145 <210> SEQ ID NO: 15<211> 208<212> DNA<213> Mycobacterium avium<400> 15
   155 <210> SEQ ID NO: 16<211> 208<212> DNA<213> Mycobacterium bovis<400> 16
   165 <210> SEQ ID NO: 17<211> 208<212> DNA<213> Mycobacterium celatum<400> 17
   175 <210> SEQ ID NO: 18<211> 211<212> DNA<213> Mycobacterium flavescens<400> 18
   185 <210> SEQ ID NO: 19<211> 208<212> DNA<213> Mycobacterium tortuitum<400> 19
   195 <210> SEQ ID NO: 20<211> 205<212> DNA<213> Mycobacterium intracellulare<400> 20
   205 <210> SEQ ID NO: 21<211> 214<212> DNA<213> Mycobacterium abscessus<400> 21
   215 <210> SEQ ID NO: 22<211> 208<212> DNA<213> Mycobacterium africanum<400> 22
   225 <210> SEQ ID NO: 23<211> 208<212> DNA<213> Mycobacterium haemophilum<400> 23
   235 <210> SEQ ID NO: 24<211> 208<212> DNA<213> Mycobacterium xenopi<400> 24
   245 <210> SEQ ID NO: 25<211> 19<212> DNA<213> Artificial Sequence<400> 25
   249 <210> SEQ ID NO: 26<211> 20<212> DNA<213> Artificial Sequence<400> 26

(handwritten annotation:) Format errors. Enter "hard return" where arrows indicate.

<210> 25<211> 19<212> DNA<213> Artificial Sequence<400> 25
tcaaggagaa gcgctacga   19

<210> 26<211> 20<212> DNA<213> Artificial Sequence<400> 26
ggatgttgat cagggtctgc   20

Sequences 25 and 26 are missing
mandatory <220>, <223> features to explain
the source of the artificial sequences.
See #12 on Error Summary Sheet.